



继烨板材  
JIYE PLATE MATERIAL

# METAL EMBOSSED THERMAL INSULATION DECORATIVE BOARD

## 金属压花保温装饰板

Light Steel Villas | Municipal Projects | Office Buildings |  
Exterior Decoration | Guard Booths  
轻钢别墅 | 市政工程 | 办公大楼 | 外墙装饰 | 岗亭



COLOR STONE SERIES  
彩石系列



BEACH ROCK SERIES  
滩涂纹系列



MARBLE SERIES  
大理石系列



WOOD GRAIN SERIES  
木纹系列



Scan to Contact Us  
扫二维码 联系我们



EXCELLENT QUALITY YOU CAN TRUST  
卓越品质 值得信赖



WhatsApp: +86 156-6576-9518



JINAN JIYE BUILDING MATERIALS  
CO., LTD.  
济南继烨建筑材料有限公司

# METAL EMBOSSED THERMAL INSULATION DECORATIVE BOARD

金属压花保温装饰板

JINAN JIYE BUILDING MATERIALS CO., LTD.

济南继烨建筑材料有限公司



## COMPANY INTRODUCTION 企业简介

Jinan Jiye Building Materials Co., Ltd. is a high-tech enterprise integrating the design, R&D, manufacturing, sales and service of metal carved decorative panels, prefab houses, guard booths and other products. Equipped with a full range of advanced production facilities, we adopt continuous production technologies for new thermal insulation materials and color steel composite thermal insulation panels. We have built a leading one-step forming production line for metal carved decorative panels in China, breaking the traditional production modes to achieve fully continuous manufacturing.

济南继烨建筑材料有限公司是一家集金属雕花板、活动房、岗亭等产品的设计研发、制造、制售服务为一体的高新技术产业。拥有各类先进设备，新型保温材料以及彩钢复合保温板材连续生产工艺，建成国内优秀的机上一次成型金属雕花板材生产线，打破传统生产模式，实现连续化生产。



## PRODUCT RANGE 产品范围

Our products feature diverse patterns including brick texture, stucco texture, wood grain and marble grain, fully meeting the demands for diversified colors and integrated thermal insulation & decoration of various buildings. Widely applied in numerous projects, our superior quality has won wide recognition from customers worldwide.

可生产砖纹、弹涂纹、木纹、大理石纹等多种花样纹饰，全方位满足各种建筑的色彩多样性及保温装饰一体化需求。产品广泛应用于各类工程，过硬的产品质量赢得了用户的广泛认可。



## OUR VALUES 我们的价值观



HIGH-QUALITY  
PRODUCTS  
高品质的质量



PROFESSIONAL  
TECHNICAL SUPPORT  
专业的技术支持



HONEST &  
RELIABLE SERVICE  
诚信的态度为您提供优质的服务

Serving the Society · Going Green · Delivering Efficiency · Staying Professional

服务社会 · 绿色环保 · 方便快捷 · 专业专一



JIYE PLATE MATERIAL

继烨板材

# METAL EMBOSSED THERMAL INSULATION DECORATIVE BOARD

金属压花保温装饰板



## PRODUCT DESCRIPTION


### 产品说明

Metal carved boards are made of environmentally friendly materials that are non-toxic, odorless, and pollution-free, providing green protection and decoration for buildings. The surface is a high-quality colored relief decorative metal plate treated with a special layer. The middle layer is a hard high-density polyurethane foam insulation core treated with flame retardant. The bottom layer is an aluminum foil protective layer for insulation and moisture prevention.

金属雕花板采用绿色环保原料，无毒无味无污染，为建筑提供绿色防护与装饰。表面采用高品质彩色浮雕装饰金属板经特殊工艺处理，中间层为硬质高密度聚氨酯发泡保温隔热层经阻燃处理，底层为铝箔保护层起到隔热防潮作用。

Due to inherent characteristics of thermal insulation, waterproof and flame-retardant, lightweight earthquake resistant, convenient construction, sound insulation and noise reduction, green environmental protection, aesthetics and durability — installation is safe and convenient, suitable for all seasons. With over a hundred different combinations of relief patterns and colors, the luxurious decorative effect highlights building grade and taste.

凭借保温隔热、防水阻燃、轻质抗震、施工便捷、隔音降噪、绿色环保、美观耐用等固有特性，安装使用安全方便，四季皆宜。上百种浮雕花纹和色彩搭配组合，豪华美观的装饰效果彰显建筑档次与品位。



**SURFACE METAL LAYER**

表面金属层

**PU INSULATION CORE**

聚氨酯保温层

**ALUMINUM FOIL LAYER**

铝箔保护层



## PRODUCT FEATURES

### 产品特点



#### FIRE INSULATION

防火保温

Fire-retardant performance equivalent to 5cm polystyrene board insulation



#### WATERPROOF & MOISTURE-PROOF

防水防潮

Interlocking concave-convex groove prevents water seepage, mold, and freeze-thaw damage



#### LIGHTWEIGHT SEISMIC

轻质抗震

Lightweight high-strength reduces building load and earthquake impact



#### DURABLE 50+ YEARS

经久耐用

Closed bubble structure for noise reduction — 25 years no fading, 50+ year lifespan



#### ECO-FRIENDLY

绿色环保

Chemically stable, no decomposition, asbestos-free, non-radioactive, zero pollution



#### 100+ PATTERNS

多彩色样

Wide variety of colors and patterns — fully customizable to project requirements



#### EASY INSTALLATION

便捷安装

Lightweight transport, short construction period, saves 40% installation cost



**SURFACE METAL LAYER / 表面金属层**


High weather-resistant AL-Zn alloy coated steel sheet  
高耐候镀铝锌钢板  
50-year rust resistance / 50年不生锈

**PU INSULATION CORE / 聚氨酯保温层**

Rigid high-density polyurethane foam  
高密度聚氨酯发泡保温层  
Thermal insulation + high hardness / 保温隔热+硬度高

**ALUMINUM FOIL LAYER / 铝箔保护层**

Moisture-proof & thermal insulation protection  
防潮隔热保护层  
Effectively blocks water vapor / 有效阻隔水汽侵入



**SURFACE METAL LAYER / 表面金属层**

The surface is made of aluminum zinc coated color steel plate, pressed and sprayed with paint. The metal carved board can withstand rust for up to 50 years.

板材表面为金属层，外层采用镀铝锌彩钢板压制而成，表面喷漆处理，金属雕花板可达50年不生锈。



**PU INSULATION CORE / 聚氨酯保温层**

The selected core material is hard foam polyurethane heat insulation layer, combining the advantages of insulation and high hardness.

芯材精选硬质发泡聚氨酯断热层，集保温隔热与硬度高为一体的优势。



**ALUMINUM FOIL LAYER / 铝箔保护层**

The moisture-proof and heat-insulating aluminum foil protective layer effectively blocks water vapor from entering the board and building walls.

采用防潮隔热铝箔保护层，能有效阻隔水汽侵入板材和建筑墙体。

**TECHNICAL SPECIFICATIONS / 技术规格**

| Parameter / 参数          | Specification / 规格                                     |
|-------------------------|--------------------------------------------------------|
| Surface Material / 表面材质 | AL-Zn Alloy Coated Steel / 镀铝锌钢板                       |
| Inner Material / 内层材质   | Aluminum Foil / 铝箔纸                                    |
| Panel Thickness / 材质厚度  | 10mm / 16mm / 20mm / 25mm / 30mm / 50mm / 75mm / 100mm |
| Panel Width / 板材规格      | 383mm (Length Customizable / 长度可定制)                    |
| Steel Thickness / 彩钢厚度  | 0.21mm / 0.23mm / 0.27mm                               |
| Color Options / 彩钢颜色    | Multiple Colors Available / 多色可选                       |

**PACKING SPECIFICATIONS / 包装规格**

| Item / 项目            | Value / 数值              |
|----------------------|-------------------------|
| Weight / 重量          | 3.7 kg/m <sup>2</sup>   |
| Length / 长度          | Customized / 定制         |
| Width / 宽度           | 383 mm                  |
| Thickness / 厚度       | Standard 16 mm / 标准16mm |
| Standard Size / 标准尺寸 | 4000 × 383 × 16 mm      |
| Packing Size / 包装尺寸  | 4000 × 420 × 160 mm     |
| Package Qty / 包装数量   | 10 pcs/carton / 10片/箱   |



## 11-LAYER COMPOSITION

### 11层结构组成



- 1 SILICONE ACRYLIC SURFACE TREATMENT  
硅丙乳液预处理
- 2 ACRYLIC LATEX SPRAY  
丙烯酸胶喷涂
- 3 FINISH COAT (FRONT PAINT)  
精涂层 (正面漆)
- 4 PRIMER COAT  
初涂层 (底漆)
- 5 CHEMICAL TREATMENT LAYER  
化学处理层
- 6 AL-ZN COATING LAYER  
镀铝锌层
- 7 COLD-ROLLED STEEL SUBSTRATE  
优质冷轧钢板
- 8 AL-ZN COATING LAYER  
镀铝锌层
- 9 CHEMICAL TREATMENT LAYER  
化学处理层
- 10 PRIMER COAT  
初涂层 (底漆)
- 11 FINISH COAT (BACK PAINT)  
精涂层 (背面漆)

## INSULATION EFFECT COMPARISON

### 保温效果对比

Thickness Required for Same Insulation Effect  
达到相同保温效果所需厚度

PU POLYURETHANE  
聚氨酯



1 cm

POLYSTYRENE  
聚苯乙烯




1.6 cm

MINERAL FIBER  
矿物纤维



1.8 cm

LIGHTWEIGHT  
CONCRETE  
轻质混凝土



15.2 cm

BRICK WALL  
普通砖墙



34.4 cm

## CERTIFIED PERFORMANCE

### 检测性能认证

| Test Item<br>检测项目                                           | Result<br>结果         | Standard<br>标准 |
|-------------------------------------------------------------|----------------------|----------------|
| Compressive Strength<br>压缩强度                                | 295 kPa              | GB/T8813       |
| Thermal Conductivity<br>导热系数                                | 0.022 W/(m·K)        | GB/T10295      |
| Water Absorption<br>吸水率                                     | 0.8%                 | GB/T8810       |
| Salt Spray Resistance<br>耐盐雾                                | 500h No Damage / 无损伤 | GB/T1771       |
| Acid Resistance (5% H <sub>2</sub> SO <sub>4</sub> )<br>耐酸性 | 24h Normal / 无异常     | GB/T9274       |
| High Temp Resistance<br>耐高温                                 | 600°C                | GB/T8332       |
| Closed Cell Rate<br>闭孔率                                     | 99.70%               | GB/T20284      |
| Formaldehyde<br>甲醛释放量                                       | Non-Detected / 未检出   | GB/T18580      |

※ Custom specifications available upon request / 实际以客户要求定做为准

## PRODUCT ADVANTAGES vs TRADITIONAL MATERIALS

### 与传统材料优势对比

| Criterion<br>对比项           | METAL CARVED BOARD<br>金属雕花板 | EXTERIOR TILES<br>外墙砖 | PAINT<br>涂料 |
|----------------------------|-----------------------------|-----------------------|-------------|
| Construction Speed<br>施工进度 | ★★★★★                       | ★☆☆☆☆                 | ★★★★☆       |
| Cost Savings<br>成本节省       | ★★★★★                       | ★☆☆☆☆                 | ★★★★☆       |
| Service Life 使用年限          | 50+ Years / 年               | 20 Years              | 10 Years    |
| Sound Insulation           | ★★★★★                       | ★☆☆☆☆                 | ★☆☆☆☆       |
| Seismic 抗震系数               | ★★★★★                       | ★☆☆☆☆                 | ★★★★☆       |
| Aesthetics 美观度             | ★★★★★                       | ★★★☆☆                 | ★☆☆☆☆       |
| Thermal Insulation 隔热      | ★★★★★                       | ★☆☆☆☆                 | ★☆☆☆☆       |
| Waterproof 防水              | ★★★★★                       | ★☆☆☆☆                 | ★☆☆☆☆       |
| Eco-Friendly 环保            | ★★★★★                       | ★★★☆☆                 | ★☆☆☆☆       |
| Shedding Risk 脱落风险         | NONE / 无                    | HIGH / 高              | HIGH / 高    |



JIYE PLATE MATERIAL  
继烨板材

# ACCESSORIES & INSTALLATION GUIDE

## 配件与安装指南

### 1 STARTING & CLOSING PIECE 起步件·收口件



Foundation accessory for panel installation start and edge finishing  
板材安装起步和收边的基础配件

### 2 CENTER SEAM JOINT 中缝接条



Connects two panels horizontally with tight, seamless joint  
横向连接两块板材，紧密无缝

### 3 EXTERNAL CORNER / DOOR-WINDOW WRAP 阳角·门窗包



Covers external wall corners, door and window frame edges  
包覆外墙阳角及门窗边框

### 4 INTERNAL CORNER 阴角



Finishes internal wall corners with decorative protection  
装饰性保护内墙阴角转角



### INSTALLATION STEPS 安装步骤

#### 1 STEP 1: PREPARATION 准备工作

Prepare tools: expansion screws, self-tapping screws, electric drill, rubber hammer, measuring tape, cutting machine

准备工具：膨胀螺丝、燕尾钉、电钻、橡皮锤、卷尺、切割机

#### 2 STEP 2: ACCESSORY BASE INSTALLATION 安装配件底座

Install accessory bases FIRST before panels: starting piece, closing piece, center seam joint, external corner, internal corner

先安装配件底座再装板材：起步件、收口件、中缝接条、阳角、阴角

#### 3 STEP 3: PANEL INSTALLATION 安装板材

Install panels from BOTTOM to TOP. Female groove facing DOWN, male groove facing UP. Insert each panel from above into the previous one. Fix with screws every 60cm. Tap with rubber hammer for tight interlocking

从下往上逐块安装。母口朝下、公口朝上，每块板从上往下插入前一块。每隔60cm用螺丝固定，橡皮锤敲紧卡槽

#### 4 STEP 4: PROTECTIVE FILM REMOVAL 撕掉保护膜

Remove the surface protective film from all panels after complete installation for a clean, brand-new building appearance

全部安装完成后撕掉所有板材表面保护膜，建筑外观焕然一新



Corrosion-resistant aluminum-zinc steel  
耐腐蚀镀铝锌钢



Same material & color as panels  
与板材同材质同色



Easy installation, 40% time saving  
安装便捷，节省40%工时






Waterproof silicone sealed joints  
防水玻璃胶密封接缝

JINAN JIYE BUILDING MATERIALS CO., LTD.

济南继烨建筑材料有限公司

# PRODUCT COLOR CATALOG

## 产品色卡目录





继烨板材

JIYE PLATE MATERIAL

# PRODUCT COLOR CATALOG

产品色卡目录



JINAN JIYE BUILDING MATERIALS CO., LTD.

济南继烨建筑材料有限公司




**JIYE PLATE MATERIAL**  
继烨板材

**PRODUCT COLOR CATALOG**  
产品色卡目录




**OXIDIZED RED**  
氧化红



**MESH RED**  
网纹红



**BRIGHT BLUE**  
亮蓝色



**TURQUOISE BLUE**  
绿松石蓝



**BRICK RED**  
砖红



**SCARLET / BRIGHT RED**  
绯红/大红



**CRYSTAL BLUE**  
水晶蓝



**PORCELAIN BLUE-GREEN**  
瓷蓝绿


**JINAN JIYE BUILDING MATERIALS CO., LTD.**  
济南继烨建筑材料有限公司



JIYE PLATE  
MATERIAL  
继焊板材

# PRODUCT COLOR CATALOG

## 产品色卡目录




RICE YELLOW  
米黄




RICE YELLOW-RED  
米黄红




ANGEL WHITE  
天使白



DEEP IVORY WHITE  
深象牙白



DESERT YELLOW  
沙漠黄



WISTERIA PURPLE YELLOW  
薇紫黄



LIGHT RICE YELLOW  
浅米黄



LIGHT IVORY WHITE / MILKY WHITE  
浅象牙白/乳白

JINAN JIYE BUILDING MATERIALS CO., LTD.

济南继焊建筑材料有限公司

# WOOD GRAIN SERIES

## 木纹系列

|                                                                                   |                                                                                    |                                                                                     |
|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|   |   |   |
| <b>Oak Grain</b><br>橡木纹                                                           | <b>Soviet Pine</b><br>苏联松木                                                         | <b>Matte Grain Oak Texture</b><br>光颗粒橡木纹                                            |
|  |  |  |
| <b>Teak</b><br>柚木                                                                 | <b>Dashan Pine</b><br>大山松木                                                         | <b>Old Wood Grain (Grey)</b><br>旧木纹(灰)                                              |

|                                                                                      |                                                                                      |                                                                                      |
|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|
|   |   |   |
| <b>Grey Brick White Seam</b><br>青砖白缝                                                 | <b>Soviet Pine Great Wall Board</b><br>苏联松木长城板                                       | <b>Matte Black</b><br>哑光黑                                                            |
|   |   |   |
| <b>Black Wenge Wood</b><br>黑鸡翅木                                                      | <b>Light Black Wenge Wood</b><br>浅黑鸡翅木                                               | <b>Yellow Wenge Wood</b><br>黄鸡翅木                                                     |
|  |  |  |
| <b>Dark Red Wenge Wood</b><br>深红鸡翅木                                                  | <b>Light Red Wenge Wood</b><br>浅红鸡翅木                                                 | <b>Pine Knot</b><br>松木节                                                              |



JIYE PLATE MATERIAL  
继烨板材

# WOOD GRAIN & GREAT WALL SERIES

## 木纹与长城板系列




1. Light Oak Grain  
浅橡木纹



2. Sandalwood  
檀木



3. Three-groove Wood Grain  
三沟木纹



1. Light Brown Sand Great Wall Board  
浅棕砂长城板



2. Dark Oak Grain Great Wall Board  
深橡木纹长城板




4. Beech  
榉木



5. Dragon Scale Walnut  
龙甲胡桃木



6. Three-color Ceramic Tile  
三色瓷砖



3. Angel White Great Wall Board  
天使白长城板



4. Pine Knot Great Wall Board  
松木节长城板



7. Technical Wood Grain Flat Plate  
科技木纹平板



5. Light Brown Sand Long Stone Painted Earth Yellow  
浅棕砂长条石涂土黄



JINAN JIYE BUILDING MATERIALS CO., LTD.  
济南继烨建筑材料有限公司



JIYE PLATE  
MATERIAL  
继烨板材

# STONE SERIES CATALOG

## 石纹系列目录



Grey Cultural Stone  
灰文化石



Three-color Terrazzo  
三色水磨石



Light Brown Sand  
Long Strip Stone  
浅棕砂长条石



Cement Sand Stone  
水泥沙石




Golden Hemp Stone  
黄金麻石



Black and White Marble  
黑白大理石



Aurora Marble  
极光大理石



Red Vertical Stone Wall  
红竖石墙



Light Cultural Stone  
浅文化石



Jazz White  
爵士白



Green Brick Pattern  
青砖纹



Dark Cultural Stone  
深文化石




Yellow Hemp Marble  
黄麻大理石




Country Stone Wall  
乡村石墙

# BRICK & SPECIAL SERIES

## 砖纹与特色系列



**Red Brick  
Black Seam**  
红砖黑缝



**Angel White  
Great Wall Board**  
天使白长城板



**3D Grey Brick**  
3D立体青砖



**Digital  
Camouflage**  
数码迷彩



**Multi-color Brick**  
多色砖



**Red Marble**  
红色大理石



**Grey Brick  
Irregular Stone**  
青砖乱石纹



**Spanish Marble**  
西班牙大理石




JIYE PLATE MATERIAL  
继烨板材

# BRICK PATTERN SERIES

## 砖纹系列



Angel White  
Coated Earthy Yellow  
天使白涂土黄




Ancient Wall Grey  
Coated White  
古墙灰涂白



Angel White  
Coated Deep Grey  
天使白涂深灰



Angel White  
Coated Earthy Yellow  
天使白涂土黄



Angel White  
Coated 2K Deep Grey  
天使白涂2K深灰



Light Grey  
Roller Coated Brown Sand  
浅灰辊涂棕砂



Angel White  
Coated Orange Red  
天使白涂橘红



Light Brown Sand  
Coarse Brick Coated  
Orange Yellow  
浅棕砂粗砖涂橘黄



Ancient Wall Grey  
Coated Orange Red  
古墙灰深橘红




Ancient Wall Grey  
Coated Orange Red  
古墙灰涂橘红




Ancient Wall Grey  
Coated Orange Yellow  
古墙灰涂橘黄



Angel White  
Coated Ancient Wall Grey  
天使白涂古墙灰



Angel White  
Coated Orange Yellow  
天使白涂橘黄



Angel White  
Coated Orange Yellow  
天使白涂橘黄



Angel White  
Coated Ancient Wall Grey  
天使白涂古墙灰

JINAN JIYE BUILDING MATERIALS CO., LTD.


济南继烨建筑材料有限公司




**JIYE**  
PLATE MATERIAL  
继烨板材

# BRICK PATTERN SERIES

砖纹系列



Brick Red Roller  
Coated White  
砖红辊涂白



Angel White Roller  
Coated Orange-Red  
天使白辊涂橘红



Angel White Coated  
Earthy Yellow  
天使白涂土黄



Police Blue Coated  
Earthy Yellow  
警蓝涂土黄




Ancient Wall Grey Coated  
Earthy Yellow  
古墙灰涂土黄



Ancient Wall Grey Coated  
Orange-Red  
古墙灰涂橘红




Ancient Wall Grey Roller  
Coated White  
古墙灰辊涂白



Angel White Coated  
2K Dark Grey  
天使白涂2K深灰



Ancient Wall Grey  
Coated Powder  
古墙灰涂粉



Angel White Coated  
Ancient Wall Grey  
天使白涂古墙灰



Ancient Wall Grey Roller  
Coated White  
古墙灰辊涂白



Wisteria Purple Yellow  
Coated Orange-Red  
薇紫黄涂橘红

**JINAN JIYE BUILDING MATERIALS CO., LTD.**

济南继烨建筑材料有限公司

# BOARD HOUSES & GUARD BOOTHS

## 板房与岗亭

Portable, durable, and customizable prefabricated structures for construction sites, security, and temporary housing

便携、耐用、可定制的预制结构，适用于工地、安防和临时住房



### LIGHT STEEL VILLA

轻钢别墅



Ideal for luxury villas, residential communities,  
and upscale housing projects

适用于豪华别墅、住宅小区及高端住宅项目

### BUILDING RENOVATION

楼房改造



Perfect for exterior wall renovation, commercial  
building upgrades, and urban renewal

适用于外墙翻新、商业建筑升级及城市更新



JIYE PLATE MATERIAL  
继烨板材

# INSTALLATION CASES

工程案例

## SCENIC AREA HOMESTAY & GUARD BOOTHS

景区民宿与岗亭



Versatile modular solutions for tourism,  
security, and temporary accommodation  
适用于旅游、安防及临时住宿的多功能模块化解决方案

## MUNICIPAL ENGINEERING

市政工程



Reliable solutions for public infrastructure  
and government projects  
适用于公共基础设施及政府项目的可靠方案

JINAN JIYE BUILDING MATERIALS CO., LTD.  
济南继烨建筑材料有限公司



JIYE PLATE  
MATERIAL  
继烨板材

# METAL EMBOSSED THERMAL INSULATION DECORATIVE BOARD

Premium Exterior Wall Cladding Solutions


高端外墙挂板解决方案



**COLOR STONE SERIES**  
彩石系列



**BEACH ROCK SERIES**  
滩涂纹系列



**MARBLE SERIES**  
大理石系列



**WOOD GRAIN SERIES**  
木纹系列



**BRICK SERIES**  
砖纹系列



**STONE SERIES**  
石纹系列



**CAMOUFLAGE SERIES**  
迷彩系列



**SOLID COLOR SERIES**  
纯色系列



**FIRE-RESISTANT &  
INSULATED**  
防火保温



**WATERPROOF &  
DURABLE (50+ Years)**  
防水耐用(50年+)



**100+ PATTERNS  
& COLORS**  
100+ 花色图案



**EASY INSTALL  
(40% Cost Saving)**  
便捷安装(节省40%成本)

**WHY CHOOSE JIYE**  
为什么选择继烨

- ✓ One-Step Forming Production Line  
一步成型生产线
- ✓ ISO Certified Manufacturing  
ISO认证制造
- ✓ Exported to 30+ Countries  
出口30+国家



**EXCELLENT QUALITY  
YOU CAN TRUST**  
卓越品质 值得信赖



WhatsApp: +86 156-6576-9518  
WhatsApp: +86 156-6576-9518



**JINAN JIYE BUILDING  
MATERIALS CO., LTD.**  
济南继烨建筑材料有限公司



**Scan to  
Connect**  
扫码联系